L Number	Hits	Search Text	DB	Time stamp
2	2655	(priorit$5 with (search$3 or retriev$5)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 17:50
3	39	(priorit$5 with (search$3 or retriev$5)) and (electron$5 with (manual or dictionary)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:13
7	43	(electron$5 with (manual or dictionary)) and ((sort$3 or arrang$3 or priorit$9 or rank$3 or order$3) with (search$3 or hit$3) with (number or count or frequenc$5)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:16
8	141	((search$3 or retriev$5 or quer$5) with (sorted or ordered or ascend$3 or descend$3 or ranked or arranged or priorit$9) with (manual or dictionary)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:34
9	2	((search$3 or retriev$5 or quer$5) with (sorted or ordered or ascend$3 or descend$3 or ranked or arranged or priorit$9) with electron$5 with (manual or dictionary)) and ((search$3 or hit$3) with (number or count or frequenc$5)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:38
10	447	(((search$3 or retriev$5 or quer$5) with (sorted or ordered or ascend$3 or descend$3 or ranked or arranged or priorit$9)) same ((search$3 or hit$3) near3 (number or count or frequenc$5))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:39
11	26	(((search$3 or retriev$5 or quer$5) with (sorted or ordered or ascend$3 or descend$3 or ranked or arranged or priorit$9)) same ((search$3 or hit$3) near3 (number or count or frequenc$5)) same (fast$3 or quick$3 or eas$3)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 20:39
-	3	((electro$5 near3 manu$3) with (search$3 or quer$5)).ab.	USPAT; US-PGPUB; IBM_TDB	2004/04/16 17:32
-	138	((reference with (table or database or file)) same (search$3 or quer$5)).ab.	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:56
-	290	((reference with (table or database or file)) same ((reference or number) with (indicat$3 or express$3 or show$3 or calculat$3 or associat$3) with (number$2 or time$2) with (referenced or referred or hit$4 or searched or quer$4 or returned or showed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2002/12/31 15:05
-	42	((reference with (table or database or file)) same ((reference near3 number) with (indicat$3 or express$3 or show$3 or calculat$3 or associat$3) with (number$2 or time$2) with (referenced or referred or hit$4 or searched or quer$4 or returned or showed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/02 13:25
-	52	(((help adj function) or (electronic$3 adj dictionary)) with (search$3 or quer$4)) and (@ad<=20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:38
-	10	(reference near3 (table or database or file)) with (topic$2 or categor$3) with (manu$3 or help or dictionar$3)	USPAT; US-PGPUB; IBM_TDB	2003/01/02 15:17
-	78	((display$3 or output$3 or return$3) with (based or accord$3) with (number$2 or time$2) with (referenced or returned or searched or hit$3 or referred or queried)) and 707/$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 12:05

—	10	((sort$3 or arrang$3) with (based or accord$3) with (number$2 or time$2 or decreas$3 or increas$3) with (referenced or returned or searched or hit$3 or referred or queried)) and 707/$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2004/04/16 17:49
—	75	(reference with number with (table or database or file) with (menu$3 or help or dictionary)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 13:25
—	131	(referenc$3 with number with (table or database or file) with (manual or menu$2 or dictionar$3 or help))	USPAT; US-PGPUB; IBM_TDB	2003/01/05 10:29
—	128	(((referenc$3 near3 (table or database or file)) with (referenc$3 or associat$3 or link$3) with (manual or menu$2 or dictionar$3 or help)) and (@ad<20000202)) and 707/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 11:57
—	153	((referenc$3 adj (table or database or file or list)) with (referenc$3 or associat$3 or link$3 or connect$3 or refer$5) with (manual or menu$2 or dictionar$3 or help)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 14:26
—	36	((search$3 or quer$5) with (sort$3 with (number$2 or time$2) with (hit$4 or referred or referenced or returned or displayed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 14:36
—	152	((search$3 or quer$5) with based with (number$2 or time$2 or frequenc$5) with (hit$4 or referred or referenced or returned or displayed)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 16:14
—	43	(search or searching) with most with (searched or hitted or returned or referred or referenced) with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:28
—	18	sort$3 with (database or table or file) with desir$3	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:30
—	185	((decreas$3 or descend$3) with (number$2 or time$2 or order or frequenc$3) with search$3) and 707/$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 16:33
—	137	((decreas$3 or descend$3) with (reference adj number)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:31
—	139	((search or searching or quer$4) with (high or most or popular$3 or frequen$5) with (hit$4 or searched or returned or referred or referenced) with first) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:38
—	52	((sort$3 or rank$3 or arrang$3 or order$3) with (reference adj number)) and (@ad<20000202) and 707/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:52
—	1016	((increas$3 or increment$3) with counter with (find$3 or found)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:47
—	153	((increas$3 or increment$3) with (counter or number or frequen$5) with stop$4 with display$3) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 21:39
—	47	(search or searching) with most with (searched or referred or referenced or returned or favor$7) with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 22:48
—	11	(search$3 with most with relevan$5 with first) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 23:02
—	178	(((most or high or frequen$5) with (searched or hit$4 or referred or referenced or returned) with (relevan$5 or first or priorit$5)) and (@ad<20000202)) and 707/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/06 09:12

C:\APPS\EAST\Workspaces\09774654-1.wsp

-	115	(((help adj (function or information)) or (electronic$5 near3 (dictionary or manual or menu))) with (electron$7 or network or online or web or html)) same (search$3 or query$3) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:57
-	30	((((help adj (function or information)) or (electronic$5 near3 (dictionary or manual or menu))) with (electron$7 or network or online or web or html)) same (search$3 or query$3) and (@ad<20000202)) and ((reference or hit or returned or searched or displayed or referred) near3 (number or count))	USPAT; US-PGPUB; IBM_TDB	2003/01/24 11:48
-	185	(automatic$7 with (generat$3 or count$3 or determin$3 or identif$7) with time$3 with (refer$9 or searched or retrieved or outputted or displayed or accessed)) and (search$3 or retriev$3 or quer$5 or web or internet$3 or network$3).ab. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 20:17
-	40	((generat$3 or count$3 or determin$3 or identif$7) with time$3 with (refer$9 or searched or retrieved or outputted or displayed or accessed)) and (search$3 or retriev$3 or quer$5 or web or internet$3 or network$3).ab. and (spider or crawler) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 19:59
-	50	((generat$3 or count$3 or determin$3 or identif$7) with time$3 with (topic$3 or categor$5) with (refer$9 or searched or retrieved or outputted or displayed or accessed)) and (search$3 or retriev$3 or quer$5 or web or internet$3 or network$3).ab. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 20:19